Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	@ad < "19990412" and (determin$3 or recogniz$3 or detect$3) with ((block$3 or clos$3) adj port) same (client or user) near (computer or machine) and network adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 15:44
L3	0	@ad < "19990412" and (determin$3 or recogniz$3 or detect$3) with ((block$3 or clos$3) adj port) same (client or user) near (computer or machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 15:45
L7	1	@ad < "19990412" and (determin$3 or recogniz$3 or detect$3) same ((block$3 or clos$3) near port) and (network adj protocol) and redirect$3 and encapsulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:23
L8	1	@ad < "19990412" and (determin$3 or recogniz$3 or detect$3) and (block$3) near port and (network adj protocol) and redirect$3 and encapsulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:03
L9	0	@ad < "19990412" and (determin$3 or recogniz$3 or detect$3) same (block$3) near port and (network adj protocol) and redirect$3 and encapsulat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:03
L10	12	@ad < "19990412" and (determin$3 or recogniz$3 or detect$3) same (block$3) near port and (network adj protocol) and (redirect$3 or encapsulat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:08
L11	0	@ad < "19990412" and (block$3) near port and (network adj protocol) and (redirect$3 or forward$3) same encapsulat$3 same (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:09
L12	0	@ad < "19990412" and (network adj protocol) and (redirect$3 or forward$3) same encapsulat$3 same (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:10
L13	2	@ad < "19990412" and (network adj protocol) and (redirect$3 or forward$3) same ((open or available) adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:11

L14	0	@ad < "19990412" and encapsulat$3 same (redirect$3 or forward$3) same ((open or available) adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:12
L15	3	@ad < "19990412" and (encapsulat$3 or convert$3) same (redirect$3 or forward$3) same ((open or available) adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:16
L16	0	@ad < "19990412" and (network adj protocol) same (redirect$3 or forward$3) same ((open or available) adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:17
L17	2	@ad < "19990412" and (network adj protocol) and (redirect$3 or forward$3) same ((open or available) adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 16:17
S1	14	port adj proxy$	USPAT	OR	ON	2002/12/02 18:17
S2	0	port adj proxying	USPAT	OR	ON	2002/12/02 18:17
S3	726	MIME	USPAT	OR	ON	2002/12/02 18:19
S4	15	MIME and SMB	USPAT	OR	ON	2002/12/02 18:28
S5	8	WOW and "709"/$	USPAT	OR	ON	2002/12/02 18:40
S6	1331	application adj distribut$	USPAT	OR	ON	2002/12/02 18:41
S7	2	(application adj distribut$) and SMB	USPAT	OR	ON	2002/12/02 18:43
S8	18	(software adj distribut$) and SMB	USPAT	OR	ON	2002/12/02 18:52
S9	0	intercept$ and (redirect$ adj open adj port)	USPAT	OR	ON	2002/12/02 18:52
S10	1	redirect$ adj open adj port	USPAT	OR	ON	2002/12/02 18:53
S11	8849	descriptor	USPAT	OR	ON	2002/12/02 18:56
S12	6	descriptor and WOW	USPAT	OR	ON	2002/12/02 18:59
S13	71	descriptor and MIME	USPAT	OR	ON	2002/12/02 18:59
S14	9	descriptor and MIME and SMB	USPAT	OR	ON	2002/12/02 19:00
S15	341	port adj "139"	USPAT	OR	ON	2002/12/04 14:05
S16	15	(port adj "139") and (intercept$)	USPAT	OR	ON	2002/12/04 14:08
S17	0	(port adj "139") near (intercept$)	USPAT	OR	ON	2002/12/04 14:03
S18	4984	local and (loop near back)	USPAT	OR	ON	2002/12/02 19:06
S19	0	local and (loop near back) and (port adj "139")	USPAT	OR	ON	2002/12/02 19:06
S20	446	local and (loop near back) and (intercept$)	USPAT	OR	ON	2002/12/02 19:07
S21	4	local and (loop near back) and (intercept$) and SMB	USPAT	OR	ON	2002/12/04 15:01
S22	881	(software adj distribut$4)	USPAT	OR	ON	2002/12/03 17:46

S23	68	(software adj distribut$4) and redirect$4	USPAT	OR	ON	2002/12/03 17:46
S24	44	(software adj distribut$4) and redirect$4 and port	USPAT	OR	ON	2002/12/03 17:47
S25	11	(software adj distribut$4) and redirect$4 and port and intercept and proxy	USPAT	OR	ON	2002/12/03 17:47
S26	18	(software adj distribut$4) and redirect$4 and port and intercept	USPAT	OR	ON	2002/12/03 17:53
S27	14	(software adj distribut$4) and (redirect$4 same port)	USPAT	OR	ON	2002/12/03 19:12
S28	389	port near "139"	USPAT	OR	ON	2002/12/04 15:00
S29	16	(port adj "139") and protocol	USPAT	OR	ON	2002/12/04 14:17
S30	2	port near "139" and (loop near back)	USPAT	OR	ON	2002/12/04 15:01
S31	36	local and (loop near back) and SMB	USPAT	OR	ON	2002/12/04 15:04
S32	53	(local near (loop near back))	USPAT	OR	ON	2002/12/04 15:05
S33	25	(local near (loop near back)) and address and network and protocol	USPAT	OR	ON	2002/12/04 15:07
S34	0	@ad < "19990412" and (application adj descriptor adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 19:45
S35	21	@ad < "19990412" and (application adj descriptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 21:10
S36	0	@ad < "19990412" and (application adj descriptor) same (client same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 19:46
S37	3	@ad < "19990412" and (application adj descriptor) and (client same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 19:49
S38	3	@ad < "19990412" and (construct$3 or build$3 or creat$3) same (application adj descriptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 20:00
S39	0	@ad < "19990412" and (construct$3 or build$3 or creat$3) adj (application adj descriptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 19:54

S40	1	@ad < "19990412" and (construct$3 or build$3 or creat$3) same (application adj descriptor) and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 20:01
S41	5	@ad < "19990412" and (construct$3 or build$3 or creat$3) same (application near descriptor) and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 20:10
S42	16	@ad < "19990412" and (construct$3 or build$3 or creat$3) same (application near descriptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 21:14
S43	4	@ad < "19990412" and (application adj descriptor) and coordinat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 20:57
S44	3	@ad < "19990412" and (application adj descriptor) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/03 21:11
S45	10	@ad < "19990412" and (construct$3 or build$3 or creat$3) same (application near descriptor) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 15:45
S46	0	@ad < "19990412" and intercept$3 same (message or communication) same client same port same (network adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 15:46
S47	22	@ad < "19990412" and intercept$3 same (message or communication) same client same port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 15:46
S48	8	@ad < "19990412" and intercept$3 same (message or communication) same client same port same network	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 15:56
S49	0	@ad < "19990412" and client same (intercept$3 and redirect$3) with (communication or message or data or e-mail or email) and (open adj port) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 15:57
S50	0	@ad < "19990412" and client same (intercept$3 and redirect$3) with (communication or message or data or e-mail or email) and (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 15:57
S51	18	@ad < "19990412" and client same (intercept$3 and redirect$3) with (communication or message or data or e-mail or email)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:11

S52	1	@ad < "19990412" and client same (intercept$3 and redirect$3) with (communication or message or data or e-mail or email) and port adj (proxy or client or open)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:20
S53	0	@ad < "19990412" and client same (redirect$3) with (communication or message or data or e-mail or email) same (open adj port) and port adj (proxy$3 or client or open)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:31
S54	1	@ad < "19990412" and client same (redirect$3) with (communication or message or data or e-mail or email) same (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:26
S55	1	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) same (open adj port) and port with (proxy$3 or client or open)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:34
S56	1	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) same (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:35
S57	4	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) same (port with open)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:37
S58	5	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) same (port same open)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:45
S59	1	@ad < "19990412" and client with (port adj proxy$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:40
S60	4	@ad < "19990412" and redirect$3 with (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:40
S61	5	@ad < "19990412" and redirect$3 with ((open or available) adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:43

S62	1	@ad < "19990412" and (port same proxy$3) and (intercept$3 or redirect$3 or retransmit$4 or resend$3) and (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 19:48
S63	2	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) and (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:47
S64	74	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) same port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 16:47
S65	4	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) same port and (proxy$3 or open or client) adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 17:05
S66	63	@ad < "19990412" and client same (redirect$3 or intercept$3) same (communication or message or data or e-mail or email or request) same port and (proxy$3 or open or client) with port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 17:06
S67	59	@ad < "19990412" and client same (redirect$3 or intercept$3) with (communication or message or data or e-mail or email or request) same port and (proxy$3 or open or client) with port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 17:06
S68	32	@ad < "19990412" and client same (redirect$3 or intercept$3) with (communication or message or data or e-mail or email or request) with port and (proxy$3 or open or client) with port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 17:06
S69	28	@ad < "19990412" and client with (redirect$3 or intercept$3) with (communication or message or data or e-mail or email or request) with port and (proxy$3 or open or client) with port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 17:06
S70	3	@ad < "19990412" and client with (intercept$3 or redirect$3 or send$3 or retransmit$4 or resend$3) with (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 19:50

S71	4	@ad < "19990412" and client same (intercept$3 or redirect$3 or send$3 or retransmit$4 or resend$3) with (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 19:50
S72	5	@ad < "19990412" and client and (intercept$3 or redirect$3 or send$3 or retransmit$4 or resend$3) with (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/01/29 19:50
S73	23	@ad < "19990412" and (intercept$3 or redirect$3 or send$3 or retransmit$4 or resend$3) with (open adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/19 15:42